

# Installation Guideline for the Toys2Go Soft Luggage Pannier Bags

21 March 2016



Part	Description	Qty
1	Toys2Go Pannier Bag	2
2	Securing Straps	4

## Notes:

1. The installation of the pannier bags are done by executing the following steps sequentially.
2. Installation steps are to be conducted on the motorcycle with **the racks installed**. This guide depicts the installation on a standalone rack for clarity purposes only.
3. The bags are interchangeable between the left and ride sides.
4. The bags should be secured to allow as little free play as possible.



Saddle Straps

Elasticised Section



2

## Step 1

Attach the 4 securing straps (2), to the pannier racks as shown. The elasticised sections must go on top. Refer to the next page on how to attach the straps to the fastening loops.




## Step 1 continued

To secure the straps to the rack, thread the end of the strap through the metal loop.



Then pass the other end of the strap through the soft loop and pull tight onto the rack.



## Step 2

Place the bags roughly into position using the saddle straps. The bags should be centred onto the pannier rack frame. The straps can be positioned above or below the saddles of the motorbike depending on it's configuration.



### Step 3

Undo and the centre strap of the bag and thread the strap through the pannier frame as shown below. Note the strap position relative to the rack frame.



## Step 4

Thread the bottom section of the main centre strap through the bottom and front securing loops on the bag. Bring the top section of the main centre strap over the top of the bag. Click the buckle into place and pull down on the strap to secure.



## Step 5

Thread the bottom sections of the securing straps through the bottom and front securing loops on the bag. Bring the top sections of the securing straps over the top of the bag. Click the buckles into place and pull down on the straps to secure. Re-tighten the main centre strap if required. Repeat for the other side of the motorbike. Release and reposition the saddle straps if required.



## Step 6

Provision has been made for an additional horizontal strap on either side of the bags (securing loops).



## Opening and Closing the Bags

The main centre strap and side securing straps are released in order to access the main bag section. The bag is closed by first closing the top zip, then rolling the top of the bag down tightly and then securing the closed section with the side buckles. Pull down to tighten. Re-attach the main centre and side securing straps and tighten.

